Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	24	((network same traffic same destination) same (geographic or local or locality or region)) and map and @pd>"20040905"	USPAT	OR	OFF	2005/06/10 16:55
S66	111	(bandwidth near2 maximum) and 709/217,218,219,223,224,225,226, 232,233,235,238,239,245,249,250. ccls. and traffic	USPAT	OR	OFF	2005/06/10 16:56
S58	8038	709/217,218,219,223,224,225,226, 232,233,235,238,239,245,249,250. ccls.	USPAT	OR	OFF	2005/06/10 16:56
S24	1229	709/217,218,219,223,224,225,226, 232,233,235,238,239,245,249,250. ccls. and (heirarchy or hierarchy)	USPAT	OR	OFF	2005/06/10 16:56

	· · · · · · · · · · · · · · · · · · ·				T	
S19	186	(709/245.ccls. not ((((network	USPAT	OR	OFF	2005/06/10 16:56
		same traffic same destination)				
		same (geographic or local or locality				
		or region) and 709/217,218,219,		1		
		223,224,225,226,232,233,235,238,				
		239,245,249,250.ccls.) not				
		((("370"/\$.ccls. or "709"/\$.ccls.)		ŀ		
1		and ((network with traffic with				
		destination) same (geographic or	·			
		loca\$6 or region)) not map) or				
		(("370"/\$.ccls. or "709"/\$.ccls.) and				
		((network with traffic with				
<u> </u>		destination) same (geographic or				
		loca\$6 or region)) and map))) or				
		((network same traffic same				
		1				
		destination) same (geographic or				
		local or locality or region) and				
		bandwidth not ((("370"/\$.ccls. or				
		"709"/\$.ccls.) and ((network with				
		traffic with destination) same				
		(geographic or loca\$6 or region))				
		and map) or (("370"/\$.ccls. or				
		"709"/\$.ccls.) and ((network with				
		traffic with destination) same				
		(geographic or loca\$6 or region))				
		not map) or (((network same traffic				
		same destination) same				
		(geographic or local or locality or				
		region) and 709/217,218,219,223,				
		224,225,226,232,233,235,238,239,				
		245,249,250.ccls.) not ((("370"/\$.				
		ccls. or "709"/\$.ccls.) and ((network				
		with traffic with destination) same				
		(geographic or loca\$6 or region))				
		not map) or (("370"/\$.ccls. or				
		"709"/\$.ccls.) and ((network with				
		traffic with destination) same				
		(geographic or loca\$6 or region))				
		and map)))) and ("370"/\$.ccls. or				
		"709"/\$.ccls.)) or (("370"/\$.ccls. or				
		"709"/\$.ccls.) and ((network with	İ			
		traffic with destination) same				
	:	(geographic or loca\$6 or region))				
.		not map) or (("370"/\$.ccls. or				•
		"709"/\$.ccls.) and ((network with				
		traffic with destination) same			-	
		(geographic or loca\$6 or region))				
		(geographic or locaso or region)) and map) or ((("6185598") or				
	•	("6275470") or ("6151631") or		,		
		("4939726") or ("5042032") or				
		("5115433") or ("5488608") or				
		("5490252") or ("5878126") or				
		("5948061") or ("6012088") or				
		("6035332") or ("6130890")).PN.)				
		or ((network with traffic with			1.	
		destination) same geographic)))			1	
		and traffic and network				

S7	179	(network same traffic same destination) same (geographic or	USPAT	OR	OFF	2005/06/10 16:56
		local or locality or region) and bandwidth not ((("370"/\$.ccls. or				
		"709"/\$.ccls.) and ((network with				
		traffic with destination) same				
		(geographic or loca\$6 or region))				
		and map) or (("370"/\$.ccls. or "709"/\$.ccls.) and ((network with		1		
		traffic with destination) same				
		(geographic or loca\$6 or region))				
		not map) or (((network same traffic				
		same destination) same (geographic or local or locality or				
		region) and 709/217,218,219,223,				
		224,225,226,232,233,235,238,239,				
		245,249,250.ccls.) not ((("370"/\$.				
		ccls. or "709"/\$.ccls.) and ((network with traffic with destination) same				
		(geographic or loca\$6 or region))	-			
		not map) or (("370"/\$.ccls. or			-	
		"709"/\$.ccls.) and ((network with traffic with destination) same				
		(geographic or loca\$6 or region))				
		and map))))				
S3	492	(network same traffic same	USPAT	OR	OFF	2005/06/10 16:56
		destination) same (geographic or				
		local or locality or region)	-			
L7	27.	(bandwidth near2 maximum) and	USPAT	OR	OFF	2005/06/10 16:56
		709/217,218,219,223,224,225,226, 232,233,235,238,239,245,249,250.			·	,
		ccls. and traffic and				
	ī	@pd>"20040905"				
L6	1287	709/217,218,219,223,224,225,226,	USPAT	OR	OFF	2005/06/10 16:56
		232,233,235,238,239,245,249,250.				
		ccls. and @pd>"20040905"				
L5	189	709/217,218,219,223,224,225,226,	USPAT	OR	OFF	2005/06/10 16:56
		232,233,235,238,239,245,249,250. ccls. and (heirarchy or hierarchy)				
		and @pd>"20040905"				

L4	35	(709/245.ccls. not ((((network	USPAT	OR	OFF	2005/06/10 16:56
		same traffic same destination)		,		2000, 20, 20, 20, 30
		same (geographic or local or locality				
		or region) and 709/217,218,219,				·
ļ		223,224,225,226,232,233,235,238,				
		239,245,249,250.ccls.) not				
Ī		((("370"/\$.ccls. or "709"/\$.ccls.)				
		and ((network with traffic with				
		destination) same (geographic or		ļ		
ļ		loca\$6 or region)) not map) or				
		(("370"/\$.ccls. or "709"/\$.ccls.) and				
		((network with traffic with		ļ		
		destination) same (geographic or				
	·	loca\$6 or region)) and map))) or				
		((network same traffic same				
,		destination) same (geographic or				
		local or locality or region) and				
		bandwidth not ((("370"/\$.ccls. or				
		"709"/\$.ccls.) and ((network with				
		traffic with destination) same				+
		(geographic or loca\$6 or region))				
		and map) or (("370"/\$.ccls. or				
		"709"/\$.ccls.) and ((network with	!			
		traffic with destination) same				
		(geographic or loca\$6 or region))				
}		not map) or (((network same traffic				
i		same destination) same				
		(geographic or local or locality or				
		region) and 709/217,218,219,223,			:	
		224,225,226,232,233,235,238,239,				
		245,249,250.ccls.) not ((("370"/\$. ccls. or "709"/\$.ccls.) and ((network				
		with traffic with destination) same				
j		(geographic or loca\$6 or region))				
		not map) or (("370"/\$.ccls. or				
		"709"/\$.ccls.) and ((network with				
		traffic with destination) same		•		
		(geographic or loca\$6 or region))				
		and map)))) and ("370"/\$.ccls. or				
		"709"/\$.ccls.)) or (("370"/\$.ccls. or				
		"709"/\$.ccls.) and ((network with				
ŀ		traffic with destination) same				
		(geographic or loca\$6 or region))				
		not map) or (("370"/\$.ccls. or				
		"709"/\$.ccls.) and ((network with				
1		traffic with destination) same				
		(geographic or loca\$6 or region))				
		and map) or ((("6185598") or				
	,	("6275470") or ("6151631") or				
		("4939726") or ("5042032") or				
		("5115433") or ("5488608") or			1	
		("5490252") or ("5878126") or				
·		("5948061") or ("6012088") or			1	
		("6035332") or ("6130890")).PN.)				
		or ((network with traffic with				<u> </u>
		destination) same geographic)))				
		and traffic and network and				
,	ı	@pd>"20040905"		I	I	I

L3	20	(network same traffic same	USP.AT	OR	OFF	2005/06/10 16:56
		destination) same (geographic or				
		local or locality or region) and				
		bandwidth not ((("370"/\$.ccls. or				
		"709"/\$.ccls.) and ((network with traffic with destination) same				
		(geographic or loca\$6 or region))				
		and map) or (("370"/\$.ccls. or				
ļ		"709"/\$.ccls.) and ((network with				
		traffic with destination) same				
		(geographic or loca\$6 or region))				
		not map) or (((network same traffic			İ	
		same destination) same				·
		(geographic or local or locality or				
		region) and 709/217,218,219,223,				
	ļ	224,225,226,232,233,235,238,239,				
		245,249,250.ccls.) not ((("370"/\$.		·		
		ccls. or "709"/\$.ccls.) and ((network with traffic with destination) same	·			
		(geographic or loca\$6 or region))				
		not map) or (("370"/\$.ccls. or				
		"709"/\$.ccls.) and ((network with				
		traffic with destination) same				
		(geographic or loca\$6 or region))				
		and map)))) and @pd>"20040905"	•			
L2	57	(network same traffic same	USPAT	OR	OFF	2005/06/10 16:56
		destination) same (geographic or				
		local or locality or region) and				,
		@pd>"20040905"				· · ·
S71	34	bandwidth near2 available near3	USPAT	OR	OFF	2005/06/10 16:57
		destination and bandwidth				,
S69	407	709/217,218,219,223,224,225,226,	USPAT	OR	OFF	2005/06/10 16:57
		232,233,235,238,239,245,249,250.				;
		ccls. and (bandwidth near2				
		available) and traffic				
S67	8566	bandwidth near2 available	USPAT	OR	OFF	2005/06/10 16:57

				·	<u> </u>	
S49	6	("709"/\$.ccls. or "370"/\$.ccls.) and	USPAT	OR	OFF	2005/06/10 16:57
		network.ab. and traffic.ab. and				
		geographic\$.ab. not ((((709/245.				
		ccls. not ((((network same traffic				
		same destination) same				
		(geographic or local or locality or				
		region) and 709/217,218,219,223,	•			
		224,225,226,232,233,235,238,239,				8
	l İ	245,249,250.ccls.) not ((("370"/\$.				_
		ccls. or "709"/\$.ccls.) and ((network				,
		with traffic with destination) same				
		(geographic or loca\$6 or region))				
		not map) or (("370"/\$.ccls. or	-			
		"709"/\$.ccls.) and ((network with				
		traffic with destination) same				
		(geographic or loca\$6 or region))				
		and map))) or ((network same			,	
		traffic same destination) same				
		(geographic or local or locality or				
		region) and bandwidth not ((("370"/\$.ccls.)				
		and ((network with traffic with		ļ		
		destination) same (geographic or		ļ	٠.	
		loca\$6 or region)) and map) or	;			
		(("370"/\$.ccls. or "709"/\$.ccls.) and				
		((network with traffic with				
		destination) same (geographic or				
		loca\$6 or region)) not map) or				
		(((network same traffic same				
		destination) same (geographic or				
		local or locality or region) and				
		709/217,218,219,223,224,225,226,				
		232,233,235,238,239,245,249,250.				
		ccls.) not ((("370"/\$.ccls. or				
		"709"/\$.ccls.) and ((network with				
		traffic with destination) same				,
		(geographic or loca\$6 or region))				
		not map) or (("370"/\$.ccls. or				
		"709"/\$.ccls.) and ((network with				
		traffic with destination) same			1	
		(geographic or loca\$6 or region))				
		and map)))) and ("370"/\$.ccls. or				
		"709"/\$.ccls.)) or (("370"/\$.ccls. or				
		"709"/\$.ccls.) and ((network with			ļ	
		traffic with destination) same				
		(geographic or loca\$6 or region))				
İ		not map) or (("370"/\$.ccls. or				
		"709"/\$.ccls.) and ((network with				
		traffic with destination) same				
		(geographic or loca\$6 or region))				
		and map) or ((("6185598") or ("6275470") or ("6151631") or				
		("4939726") or ("5042032") or				
		("5115433") or ("5488608") or			1	
		("5490252") or ("5878126") or			-	
		("5948061") or ("6012088") or				
		("6035332") or ("6130890")).PN.)				
		or ((notwork with traffic with				
Search I	History 6/10	Odest(hation) same deographic)))				
C:\Docu	ments and Se	105est(Hation) same geographic))) ttiggs/AGOG WY 999050918 FAS (\Verkspa	ces\09702094.	wsp		
		and network) or (((network same		[Ι,	

S34	1032	"709"/\$.ccls. and topology not (709/217,218,219,223,224,225,226, 232,233,235,238,239,245,249,250. ccls. and (heirarchy or hierarchy) and network and traffic and map and route and host) and network and traffic	USPAT	OR	OFF	2005/06/10 16:57
L11	3	bandwidth near2 available near3 destination and bandwidth and @pd>"20040905"	USPAT	OR	OFF	2005/06/10 16:57
L10	144	"709"/\$.ccls. and topology not (709/217,218,219,223,224,225,226, 232,233,235,238,239,245,249,250. ccls. and (heirarchy or hierarchy) and network and traffic and map and route and host) and network and traffic and @pd>"20040905"	USPAT	OR	OFF	2005/06/10 16:57
L9	102	709/217,218,219,223,224,225,226, 232,233,235,238,239,245,249,250. ccls. and (bandwidth near2 available) and traffic and @pd>"20040905"	USPAT	OR	OFF	2005/06/10 16:57
L8	962	bandwidth near2 available and @pd>"20040905"	USPAT	OR	OFF	2005/06/10 16:57